


Material Solutions for Network Devices

For network devices, Covestro offers cost-effective, brand-enhancing material solutions that meet strict material and regulatory standards.



Additional Network Applications

- Router
- Set-Top Box
- Switch & Access Point
- Modem
- Mobile Hotspot



TRENDS	MATERIAL PERFORMANCE DEMANDS	TEST REQUIREMENTS
<ul style="list-style-type: none"> - Public WiFi - Shift towards <u>all</u> wireless, compact devices - Regulation is heavy (e.g. safety, emissions) - Customization & differentiation 	<ul style="list-style-type: none"> - High Flame Rating - Easy Molding - Low Smoke - UV Stability - Chemical Resistance - Water Resistance - High Quality Control 	<ul style="list-style-type: none"> - High and Low Temperature Storage - Connector Life - Drop - Smoke UL 2043 - Flame UL 94



Consider these valuable services in your next innovation:

- Idea / concept / product development
- New material development
- Mold design and filling simulation
- Part consolidation, assembly advice
- Field service + troubleshooting
- Feasibility analysis and cost modeling

Let's Talk

plastics@covestro.com

NETWORK DEVICES	Classification	Product Family	Grade	Melt Flow Rate ISO 1133 M: 300°C/1.2kg B FR: 240°C/15kg A: 330°C/2.16kg	Izod Notched Impact (kJ/m ²) b.o. ISO 180-A	Vicat Softening Temp (50 N, 120°C/h) ISO 306	Tensile Modulus (MPa) ISO 527-1,-2	UL 94 Rating
	Non - FR / General Purpose	Makrolon®	2807	9	85	145	2400	HB @ 2.5 mm
	FR-PC	Makrolon®	6485	9	65	145	2400	V-1 @ 0.75mm
	FR-PC	Makrolon®	6487	9	65	141	2450	V-0 @ 1.5mm
	FR-PC	Makrolon®	6265 X	19	15	146	2400	V-0 @ 1.5mm
	FR-PC/ABS	Bayblend®	FR3040	17	30	108	2700	V-0 @ 0.75mm
	FR-PC/ABS	Bayblend®	FR3050	18	55	136	2400	V-0 @ 1.5mm
	FR-PC/ABS	Bayblend®	FR3010	15	35	110	2700	V-0 @ 1.5mm
	FR-PC/ABS	Bayblend®	FR630 GR	20	35	108	2600	V-0 @ 1.5mm
	FR-PC/ABS	Bayblend®	FR3008	13	30	103	2800	V-0 @ 1.5mm
	FR-PC/ABS	Bayblend®	FR3008 HR	13	30	103	2700	V-0 @ 1.5mm
	FR-PC/ABS	Bayblend®	FR3005 HF	40	13	96	2700	V-0 @ 1.5mm
	FR-PC/ABS	Bayblend®	FR3000 HI	20	35	97	2700	V-0 @ 1.5mm
	Low Smoke Density	Bayblend®	FR3020 W	22	24	102	3200	V-0 @ 0.66mm
	FR-PC Transparent	Makrolon®	6555	10	65	145	2400	V-2 @ 1.0mm
	FR-PC Transparent	Makrolon®	6557	10	65	144	2400	V-2 (CL) @ 0.75mm
High Heat PC, Low Smoke Density-Heat Resistance	Apec®	9354	12	8	185	2400	V-0 @ 1.5mm	
Light Guides	Makrolon®	FR7067	23	12	110	2600	V-0 @ 1.5mm	
Thermally Conductive	Makrolon®	TC8030	N/A	3	147	6500	V-0 @ 2mm	



Covestro LLC
1 Covestro Circle
Pittsburgh, PA 15205 USA
412-413-2000

www.plastics.covestro.com
plastics@covestro.com

The manner in which you use, and the purpose to which you put and utilize our products, technical assistance and information (whether verbal, written or by way of product evaluations), including any suggested formulations and recommendations, are beyond our control. Therefore, it is imperative that you test our products, technical assistance and information to determine, to your own satisfaction and requirements, whether our products, technical assistance and information are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoints. Such testing has not necessarily been done by us. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sale which are available upon request. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with any claim of any patent relative to any material or its use. No license is implied or in fact granted under the claims of any patent.